

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	secure system interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/14 17:39
S2	1	S1 and (executable and file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:25
S4	6577	system and (encrypt and hash and key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:04
S6	4079	S4 and(private and component and information and function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:26
S7	4079	S4 and (private and component and information and function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:26
S8	419	S7 and (secure and export and signature and extract)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:27
S10	203	S8 and (module and method and system and md5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:28
S11	203	S10 and function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:28

EAST Search History

S12	198	S11 and (private and authenti\$4 and code) and (program or instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:29
S13	186	S12 and (validate and table) and (medium and computer) and (remove or extract)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:30
S15	181	S13 and execute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:30
S16	132	S15 and @ay <"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:31
S17	132	S16 and (table and hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:34
S18	61	S17 and (message and digest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:35
S19	59	S18 and (initial and generat\$3 and valid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:37
S20	59	S19 and value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:37

EAST Search History

S21	59	S20 and decrypt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:39
S22	58	S21 and (digital and access and permit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:40
S23	57	S22 and (program and call) and (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:43
S24	48	S23 and obscur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:44
S26	24	S24 and (interface and executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:45
S27	24	S26 and validate and (forward or backward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:46
S28	24	S27 and self	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:46
S29	24	S28 and (computer or system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:47

EAST Search History

S31	24	S29 and (generate same signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:50
S32	24	S31 and (secure same interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:50
S33	4	S32 and (executable with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:55
S35	24	S32 and (dynamic and static)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:56
S36	24	S35 and import	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 17:57
S37	1	S36 and (secure same import)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 18:02
S38	8	static import	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 18:02
S39	6	S38 and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 18:17

EAST Search History

S42	24	S35 and (secure same static) and import	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 18:20
S43	31	S15 and (secure same static) and import	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 18:21
S44	31	S13 and (secure same static) and import	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 18:21
S45	24	S24 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 18:22
S46	29	S17 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/06 18:22
S47	558	713/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 15:12
S48	558	713/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 16:00
S49	1	S48 and (import and export) and executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 16:03

EAST Search History

S50	1	S49 and secure and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 16:42
S51	1	S50 and generat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 16:43
S52	1	S51 and private and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 16:43
S53	1	S52 and encrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:17
S54	0	S53 and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 16:44
S55	1	S53 and function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 16:53
S56	558	713/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:17
S57	1	S56 and (import and export) and executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:17

EAST Search History

S58	1	S57 and secure and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:17
S59	1	S58 and generat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:17
S60	1	S59 and private and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:17
S61	1	S60 and encrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:18
S62	36894	"20050908"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:18
S63	2	"20050198645"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:22
S64	332	secure interface and execut\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:22
S65	189	S64 and @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:22

EAST Search History

S66	6	S65 and (load time or static) and (dynamic or run time) and import	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:24
S67	0	S66 and (function and encrypt) and module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:24
S68	1	S66 and (function and encrypt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:37
S69	0	S68 and dll	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:38
S70	1	S68 and link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:38
S71	1	S70 and execut\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:38
S72	1	S71 and function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:38
S73	1	S72 and mod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:33

EAST Search History

S74	8	secure system interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 15:54
S75	0	secure interface of executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:33
S76	23	secure executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:31
S77	5	S76 and (static or load time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:34
S78	4	S77 and (dynamic or run time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:37
S79	0	S78 and import	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:35
S80	0	S78 and (link and module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:35
S81	1	secure and (static and dynamic) import	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:37

EAST Search History

S82	4375	secure and (static and dynamic) and executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:38
S83	2	secure and (static and dynamic)executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:49
S84	2	secure dynamic link and (load time or static) and ((signature or hash) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 16:51
S85	11888	(load and link) and (static and dynamic) and (module and function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:32
S86	63	S85 and (static and dynamic) link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:33
S87	33	S86 and @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:33
S88	0	S87 and secure executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:33
S89	0	S87 and (secure executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:34

EAST Search History

S90	11	S87 and secure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:34
S91	11	S90 and executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:34
S92	11	S91 and (method or instruction or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:36
S93	11	S92 and static link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:36
S94	11	S93 and dynamic link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:37
S95	0	S94 and export function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:38
S96	9	S94 and export	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:38
S97	8	S96 and import	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:38

EAST Search History

S98	8	S97 and function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:38
S99	8	S98 and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:38
S10 0	8	S99 and system and method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:39
S10 1	8	S100 and (validate or authen\$4 or hash or value or encrypt or decrypt or signature or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:40
S10 2	8	S101 and secure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:40
S10 3	8	S102 and access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:42
S10 4	8	S103 and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 17:42
S10 5	34	"5367671"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:38

EAST Search History

S10 6	16	"5628007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:44
S10 7	2	"5628007".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:44
S10 8	1	"5628007".pn. and function and call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:02
S10 9	1	secure executable and (import and export)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:03
S11 0	813	S109 and (dynamic and static) or (load time and run time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:04
S11 1	6761	system and (encrypt and hash and key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:07
S11 2	4186	S111 and (private and component and information and function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:07
S11 3	433	S112 and (secure and export and signature and extract)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:07

EAST Search History

S11 4	209	S113 and (module and method and system and md5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:07
S11 5	209	S114 and function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:07
S11 6	204	S115 and (private and authenti\$4 and code) and (program or instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:07
S11 7	192	S116 and (validate and table) and (medium and computer) and (remove or extract)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:07
S11 8	187	S117 and execute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:07
S11 9	134	S118 and @ay <"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:07
S12 0	134	S119 and (table and hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:09
S12 1	81	S120 and @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:09

EAST Search History

S12 2	81	S121 and function and (hash or value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:14
S12 3	34	S122 and (secure and executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:15
S12 4	34	S123 and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:19
S12 5	34	S124 and (valid or auth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:27
S12 6	34	S125 and module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:28
S12 7	34	S126 and secure and executable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 15:28
S12 8	34	S127 and (algorithm or procedure or step or sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 16:55
S12 9	28	S128 and (instruction or computation) and recurs\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 16:58

EAST Search History

S13 0	28	S129 and (link or call)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 16:58
S13 1	2	"5628007".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/14 15:39
S13 2	14	("5628007").URPN.	USPAT	ADJ	ON	2006/08/14 15:40
S13 3	7	("5047918" "5113519" "5218696" "5367671" "5371885" "5412808" "5499358").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 15:47
S13 4	11	protect and end point same security same malicious	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 16:52
S13 5	0	S134 and @ay<"2003"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 15:48
S13 6	2	"09944057"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 16:35
S13 7	12	09/944057	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 16:35
S13 8	1	S134 and secure same export same table same signature	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 16:54
S13 9	1	S134 and function same secure same component	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:03
S14 0	134	static linking	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:03
S14 1	105	S140 and @ay<"2003"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:04
S14 2	0	S141 and extract same function same component	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:04
S14 3	39	S141 and function same component	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:04

EAST Search History

S14 4	16	S143 and extract	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:05
S14 5	15	S144 and import same export	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:05
S14 6	0	S145 and valid\$4 same access same signature	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:05
S14 7	0	S145 and valid\$4 same access	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:05
S14 8	15	S145 and valid\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:05
S14 9	2	S148 and signature and access	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/14 17:06
S15 0	0	20050273850a1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/14 17:39
S15 1	0	0273850a1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/14 17:39
S15 2	0	"0273850" a1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/14 17:40
S15 3	26	"0273850"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/14 17:40
S15 4	0	security system with methodology proiding verified secured individual end points	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/14 17:41

EAST Search History

S15 5	0	security system with methodology proiding verified secured individual end points.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/14 17:41
S15 6	1	security system with methodology providing verified secured individual end points.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/14 17:41
S15 7	134	static linking	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/17 16:46
S15 8	105	S157 and @ay<"2003"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/17 16:46
S15 9	39	S158 and function same component	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/17 16:46
S16 0	16	S159 and extract	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/17 16:46
S16 1	15	S160 and import same export	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/17 16:46
S16 2	15	S161 and valid\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/17 16:46
S16 3	39	S158 and function same component	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/17 16:47
S16 4	1	"20060080682"	US-PGPUB; USPAT	ADJ	ON	2006/08/17 17:20
S16 5	0	("2006/0080682").URPN.	USPAT	ADJ	ON	2006/08/17 17:21
S16 6	0	("2006/0080682").URPN.	USPAT	ADJ	ON	2006/08/17 17:32
S16 7	0	10/965361	USPAT	ADJ	ON	2006/08/17 17:32
S16 8	0	"10965361"	USPAT	ADJ	ON	2006/08/17 17:32
S16 9	5	"964232"	USPAT	ADJ	ON	2006/08/17 17:33
S17 0	0	"10964232".ap.	USPAT	ADJ	ON	2006/08/17 17:33

EAST Search History

S17 1	0	10/964232.ap.	USPAT	ADJ	ON	2006/08/17 17:33
S17 2	0	10/711491	USPAT	ADJ	ON	2006/08/17 17:34
S17 3	0	10/711491.app.	USPAT	ADJ	ON	2006/08/17 17:34
S17 4	2	"6728963".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 17:47
S17 5	1	("6728963").URPN.	USPAT	ADJ	ON	2006/08/17 17:50
S17 6	5	("5675796" "5771383" "5978857" "6182108" "6505229").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/17 18:03
S17 7	0	"713".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:04
S17 8	27047	"713".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:04
S17 9	2804	S178 and secure same operat\$3 same system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:05
S18 0	288	S179 and bios same (module or component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:06
S18 1	0	S180 and secure same interface same export same import same load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:06

EAST Search History

S18 2	288	S180 and secure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:07
S18 3	1	S182 and interface same import same export	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:07
S18 4	2	S182 and load same static same dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:08
S18 5	1	S184 and extract same function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:08
S18 6	0	S185 and call same signature same hash same key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:09
S18 7	0	S185 and signature same hash same key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:09
S18 8	1	S185 and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:09
S18 9	1	S188 and key and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:10

EAST Search History

S19 0	1	S189 and encrypt and decrypt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:10
S19 1	1	S190 and authen\$4 and private and public and table and valid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/17 18:11
S19 2	15	secure same program same function same extract same component	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:06
S19 3	11	S192 and @ay<"2003"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 11:25
S19 4	0	S192 and operating syste,	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 11:25
S19 5	12	S192 and operating system	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:06
S19 6	12	secure same program same function same extract same component same operating system	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:08
S19 7	12	S196 and module	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:07
S19 8	6	secure same program same function same extract same component same operating system same sub	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:08
S19 9	4	secure program same function same extract same component same operating system same sub	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:09
S20 0	0	secure program same function same extract same component same operating system same sub same execut\$4 same dynamic same static	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:09
S20 1	0	secure program same dynamic same static same component same function same import same export	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:10

EAST Search History

S20 2	0	secure program same dynamic same static same component same function same import	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:10
S20 3	1	secure program same dynamic same static	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:12
S20 4	0	S203 and extract and component	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:12
S20 5	0	S203 and extract	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:12
S20 6	0	S203 and (component or module)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/18 12:12
S20 7	0	create secure export table and extract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:14
S20 8	1	create secure export table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:14
S20 9	1	(create and secure) with (export and table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:15
S21 0	1	secure export table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:16
S21 1	196	create secure and export	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:16

EAST Search History

S21 2	178	S211 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:18
S21 3	89	S212 and (call or import) near function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:19
S21 4	30	S213 and return near (component or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:20
S21 5	30	S214 and (execute or run)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:21
S21 6	30	S215 and initialize and (address or location) and (remove or delete) and (validate or authenticate) and (continue or proceed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:26
S21 7	30	S216 and (block or hinder or obstruct or impede)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:27
S21 8	30	S217 and (digital signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:28
S21 9	29	S218 and authent\$3 and (route or send or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:30

EAST Search History

S22 0	29	S219 and (invoke or cause or conjure or solicit) and (modify or change or alter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:32
S22 1	29	S220 and (import or mean or signify or bring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:34
S22 2	29	S221 and access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:35
S22 3	24	S222 and @ay < "2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 14:35